

	Type	Hits	Search Text	DBs	Time Stamp
1	BRS	1	"20030185215"	US-PGPUB; USPAT; EPO; JPO	2004/06/20 11:57
2	BRS	4	remnant near packet and @ad<"20010214"	US-PGPUB; USPAT; EPO; JPO	2004/06/16 10:06
3	BRS	567	(remnant with (packet cell)) and @ad<"20010214"	US-PGPUB; USPAT; EPO; JPO	2004/06/16 10:06
4	BRS	4	(remnant near packet) and @ad<"20010214"	US-PGPUB; USPAT; EPO; JPO	2004/06/16 10:06
5	BRS	1	((remnant with (packet cell)) and @ad<"20010214") and (address\$3 near (field part portion)) and (data near (field part portion))	US-PGPUB; USPAT; EPO; JPO	2004/06/16 10:08
6	BRS	2	((remnant with (packet cell)) and @ad<"20010214") and ((address\$3 header) near (field part portion)) and ((data payload) near (field part portion))	US-PGPUB; USPAT; EPO; JPO	2004/06/16 10:10
7	BRS	2171	ATM with (compatible partial\$2) and @ad<"20010214"	US-PGPUB; USPAT; EPO; JPO	2004/06/17 09:36
8	BRS	67	(ATM with (compatible partial\$2) and @ad<"20010214") and (header VCI VPI) with (modif\$3 adapt\$3 convert\$3)	US-PGPUB; USPAT; EPO; JPO	2004/06/17 09:37
9	BRS	23	((ATM with (compatible partial\$2) and @ad<"20010214") and (header VCI VPI) with (modif\$3 adapt\$3 convert\$3)) and encapsulat\$3	US-PGPUB; USPAT; EPO; JPO	2004/06/17 09:38
10	BRS	101	(ATM with (compatible partial\$2) and @ad<"20010214") and (header VCI VPI) with (modif\$3 adapt\$3 convert\$3 construct\$3 buil\$3 insert\$)	US-PGPUB; USPAT; EPO; JPO	2004/06/17 09:32
11	BRS	36	((ATM with (compatible partial\$2) and @ad<"20010214") and (header VCI VPI) with (modif\$3 adapt\$3 convert\$3 construct\$3 buil\$3 insert\$)) and encapsulat\$3	US-PGPUB; USPAT; EPO; JPO	2004/06/17 09:32
12	BRS	129	(ATM with (compatible partial\$2) and @ad<"20010214") and (header VCI VPI) with (modif\$3 adapt\$3 convert\$3 construct\$3 buil\$3 insert\$ add\$3 plus\$3)	US-PGPUB; USPAT; EPO; JPO	2004/06/17 09:32
13	BRS	36	(((ATM with (compatible partial\$2) and @ad<"20010214") and (header VCI VPI) with (modif\$3 adapt\$3 convert\$3 construct\$3 buil\$3 insert\$)) and encapsulat\$3) and encapsulat\$3	US-PGPUB; USPAT; EPO; JPO	2004/06/17 09:33

	Type	Hits	Search Text	DBs	Time Stamp
14	BRS	43	((ATM with (compatible partial\$2) and @ad<"20010214") and (header VCI VPI) with (modif\$3 adapt\$3 convert\$3 construct\$3 buil\$3 insert\$ add\$3 plus\$3)) and encapsulat\$3	US-PGPUB; USPAT; EPO; JPO	2004/06/17 09:33
15	BRS	2171	ATM with (\$3compatible partial\$2) and @ad<"20010214"	US-PGPUB; USPAT; EPO; JPO	2004/06/17 09:37
16	BRS	2623	ATM with (\$3compatible partial\$2) and @ad<"20010214"	US-PGPUB; USPAT; EPO; JPO	2004/06/17 10:39
17	BRS	145	(ATM with (\$3compatible partial\$2) and @ad<"20010214") and (header VCI VPI) with (modif\$3 adapt\$3 convert\$3))	US-PGPUB; USPAT; EPO; JPO	2004/06/17 09:37
18	BRS	58	((ATM with (\$3compatible partial\$2) and @ad<"20010214") and (header VCI VPI) with (modif\$3 adapt\$3 convert\$3)) and encapsulat\$3	US-PGPUB; USPAT; EPO; JPO	2004/06/17 10:39
19	BRS	5	ATM and (header with (dynamic\$4 near (modif\$3 insert\$3 convert\$3 buil\$4 construct\$3))) and @ad<"20010214"	US-PGPUB; USPAT; EPO; JPO	2004/06/17 10:47
20	BRS	13	ATM and (header with (dynamic\$4 with (modif\$3 insert\$3 convert\$3 buil\$4 construct\$3))) and @ad<"20010214"	US-PGPUB; USPAT; EPO; JPO	2004/06/17 10:50
21	BRS	11296 616	ATM and ((build construct make) near packet) @ad<"20010214"	US-PGPUB; USPAT; EPO; JPO	2004/06/17 10:51
22	BRS	264	ATM and ((build construct make) near packet) and @ad<"20010214"	US-PGPUB; USPAT; EPO; JPO	2004/06/17 14:39
23	BRS	6	(ATM and ((build construct make) near packet) and @ad<"20010214") and ((insert\$3 with data) same (address rout\$3)))	US-PGPUB; USPAT; EPO; JPO	2004/06/17 14:41
24	BRS	3462	ATM and ((build construct make) with (cell packet)) and @ad<"20010214"	US-PGPUB; USPAT; EPO; JPO	2004/06/17 14:40
25	BRS	1430	ATM and ((build construct make) with packet) and @ad<"20010214"	US-PGPUB; USPAT; EPO; JPO	2004/06/17 14:40
26	BRS	294	(ATM and ((build construct make) with (cell packet)) and @ad<"20010214") and ((insert\$3 with (data packet)) same (address\$3 rout\$3)))	US-PGPUB; USPAT; EPO; JPO	2004/06/17 14:43
27	BRS	139	(ATM and ((build construct make) with (cell packet)) and @ad<"20010214") and ((insert\$3 with (data packet)) with (address\$3 rout\$3)))	US-PGPUB; USPAT; EPO; JPO	2004/06/17 14:44
28	BRS	99	(ATM and ((build construct make) with packet) and @ad<"20010214") and ((insert\$3 with (data packet)) with (address\$3 rout\$3)))	US-PGPUB; USPAT; EPO; JPO	2004/06/17 14:56

	Type	Hits	Search Text	DBs	Time Stamp
29	BRS	3	((ATM and ((build construct make) with (cell packet)) and @ad<"20010214") and ((insert\$3 with (data packet)) with (address\$3 rout\$3))) and (intermediate near network)	US-PGPUB; USPAT; EPO; JPO	2004/06/17 14:45
30	BRS	3	((ATM and ((build construct make) with packet) and @ad<"20010214") and ((insert\$3 with (data packet)) with (address\$3 rout\$3))) and (intermediate near network)	US-PGPUB; USPAT; EPO; JPO	2004/06/17 14:48
31	BRS	48	((ATM and ((build construct make) with packet) and @ad<"20010214") and ((insert\$3 with (data packet)) with (address\$3 rout\$3))) and (header with insert\$3)	US-PGPUB; USPAT; EPO; JPO	2004/06/17 14:58
32	BRS	43	((((ATM and ((build construct make) with packet) and @ad<"20010214") and ((insert\$3 with (data packet)) with (address\$3 rout\$3))) and (header with insert\$3)) and ((header rout\$3 address) near information))	US-PGPUB; USPAT; EPO; JPO	2004/06/17 15:29
33	BRS	16	(((ATM and ((build construct make) with packet) and @ad<"20010214") and ((insert\$3 with (data packet)) with (address\$3 rout\$3))) and (header with insert\$3)) and ((header rout\$3 address) near information)) and (rout\$3 same ((payload (data information) near field)))	US-PGPUB; USPAT; EPO; JPO	2004/06/17 15:02
34	BRS	0	(((ATM and ((build construct make) with packet) and @ad<"20010214") and ((insert\$3 with (data packet)) with (address\$3 rout\$3))) and (header with insert\$3)) and ((rout\$3 header) near encapsulat\$3))	US-PGPUB; USPAT; EPO; JPO	2004/06/17 16:11
35	BRS	12	(((ATM and ((build construct make) with packet) and @ad<"20010214") and ((insert\$3 with (data packet)) with (address\$3 rout\$3))) and (header with insert\$3)) and ((rout\$3 header) with encapsulat\$3))	US-PGPUB; USPAT; EPO; JPO	2004/06/17 16:21
36	IS&R	1	("5166930").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	2004/06/17 16:22
37	IS&R	1	("5594490").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	2004/06/17 16:22

	Type	Hits	Search Text	DBs	Time Stamp
38	IS&R	1	("6636512").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	2004/06/17 16:22
39	IS&R	1	("6151318").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	2004/06/17 16:40
40	IS&R	1	("6151318").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	2004/06/18 11:20
41	IS&R	1	("5594490").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	2004/06/18 11:56
42	IS&R	1	("6259699").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	2004/06/20 13:49
43	BRS	6	"6151318"	US-PGPUB; USPAT; EPO; JPO	2004/06/20 13:49
44	IS&R	1	("6151318").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	2004/06/20 13:52
45	IS&R	1	("5166930").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	2004/06/20 13:52
46	BRS	1	"20030185215"	US-PGPUB; USPAT; EPO; JPO	2005/01/12 14:24
47	BRS	3141	370/395.1,396,397,398,399,395.3,395. 4,395.5,395.51,395.52,395.54,395.6.ccl s.	US-PGPUB; USPAT; EPO; JPO	2005/01/12 14:29
48	BRS	2437	S47 and (@ad<"20010214" @rlad<"20010214" @rlan<"20010214")	US-PGPUB; USPAT; EPO; JPO	2005/01/12 16:40
49	BRS	2152	S48 and (atm (fixed with packet))	US-PGPUB; USPAT; EPO; JPO	2005/01/12 14:30
50	BRS	1272	S48 and ((atm fixed) with packet)	US-PGPUB; USPAT; EPO; JPO	2005/01/12 14:31
51	BRS	179	S50 and ((intermediate remnant) with (packet network))	US-PGPUB; USPAT; EPO; JPO	2005/01/12 14:31
52	BRS	56	S51 and ((\$3constructed reconstruct\$4 build reestablish\$3 (re adj establish\$3) readapt\$4 (re adj adapt\$4) modif\$5 remodif\$5 (re adj modif\$5)) with packet)	US-PGPUB; USPAT; EPO; JPO	2005/01/12 16:40
53	BRS	190	370/395.5.ccls.	US-PGPUB; USPAT; EPO; JPO	2005/01/12 16:40
54	BRS	92	S53 and (@ad<"20010214" @rlad<"20010214" @rlan<"20010214")	US-PGPUB; USPAT; EPO; JPO	2005/01/12 17:43